

KS M 6060 Thinner, Class1

Enamel paint for Thinner

Technical data Sheet



1. Product Description

KSM 6060 Thinner class1 is clear, colorless. ready to spray blending Thinner used to melt enamel paint It is also used for Alkyd Resin and phenol Resin Varnish

2. Recommended Uses

Thinner for Enamel paint

3. Features

Classification		Class 1
Specific gravity		about 0.80
Distillation	I.B.P (0°C)	110 ~ 155
	Recovery at 98°C (%)	-
	Recovery at 104°C (%)	-
	50% Recovery Temperature (°C)	140 ~ 177
	90% Recovery Temperature (°C)	160 ~ 195
	Dry point	below 215
Flash point		more than 27
Mixed Aniline point		below 47
Ketone & Ester (%)		-
Non volatile Matter		below 0.02
Appearance		Clear, Colorless
Spot test		No Staining
Copper Corrosion Resistance		No Darkening
Acid value(KOH mg/g)		below 0.3

The Information and Recommendations in This TDS are based upon Tests and are subject to change without prior Notice.

KS M 6060 Thinner, Class1

Enamel paint for Thinner



4. Precautions

- Read the Material Safety Data Sheet.
- Avoid contact with eyes.
- Keep out of reach of children.
- Use only in well ventilated areas.
- Do not intentionally breathe vapour.
- Keep away from flames or sparks.
- If in contact with eyes, rinse thoroughly with clean water.